Index for Volume 37 (1988)

COMPILED BY TROY L. BEST

Abpamphantus, 390, 391
Acanalonia, 390
Acanthbothrium, 241
  amazonensis, 240
  quinonesi, 240
  regoi, 240
  terezae, 240
Acletoxenus, 390
Acranthophis, 321
Actinocleidus, 180
  articularis, 181, 184
  bennetti, 181, 184, 185, 187
  bifidus, 181, 184
  brevicirrus, 181, 183, 184
  fergusoni, 181, 183, 184, 186
  georgiensis, 181, 184, 185, 187
  oculatus, 181, 184, 185, 187
  recurvatus, 181, 184
Agonum
  decorum, 388
  elongatulum, 388
Alcidae, 186
Allele frequencies, 156–162
Allometry, 163–178
Ambystoma, 106–141
  annulatum, 111–113, 117, 128–133. 136–141
  californiense, 109, 111–113, 128–133, 136–141
  cingulatum, 111–113, 117, 128–133, 135–141
  gracile, 109, 111–113, 128–134, 136–141
  jeffersonianum, 111–113, 128–133, 136–141
  laterale, 111–113, 128–133, 136–141
  mabeei, 111–113, 128–133, 136–141
  macrodactylum, 111–113, 128–133, 136–141
  maculatum, 111–113, 128–133, 136–141
  opacum, 111–113, 128–133, 136–141
  talpoideum, 109, 111–113, 128–133, 136–141
  texanum, 111, 117, 128–134, 136–141
  tigrinum, 109–113, 128–133, 135–141
Ambystomatidae, 110
Amychus candezei, 299
Anabantidae, 40
Anagotus turbotti, 296
Analysis,
  cluster, 34–46
  compatibility, 291–310
  component, 221–236
  electromorphic, 163–178
  evolutionary success, 76–79
  graphical biogeographic, 385–409
  parsimony, 221–236, 271–290
  pattern, 34–46
  principal coordinates, 34–46
Anchoradiscoides, 180
  serpentinus, 184
Anchoradiscus, 180
  triangularis, 181, 184
Ancyrocephalidae, 179–189
Aneurus, 372, 376
Anisodactylus, 369
Anisotarsus, 283
Anisotoma, 374, 379, 380
Anthonomus, 377
  venustus, 372
Anthribidae, 389–391
Antilliscaris, 387, 388, 390
Antillopsyche, 387, 390
Anwar, Jazanul, see Whitten, Anthony J., —
Aphytis
  chrysomphali, 193
  lingnanensis, 193
Apteroxenus, 389, 391
Aradidae, 372
Archaeoglenes, 390, 391
Archeria
  racemosa, 295
  traversii, 295
Archimestra, 388
Area cladograms, 254–270
Arecophaga, 306, 307
  varia, 302
Areography, 34–46
Argyrophenga
  antipodum, 295
  harisi, 295
  janitae, 295
Asplenium
  chathamense, 299, 301, 302
  flaccidium, 301
  flaccidum, 302
Atractosteus, 356, 358
  spatula, 359
  tristoechus, 359
  tropicus, 359

Ball, George E. (ed.), Taxonomy, phylogeny and zoogeography of beetles and ants (rev.), 421
Bandoni, Susan M., see Brooks, Daniel R., and —
Barylaus, 387, 388, 390
Bassaris gonerilla, 299, 300, 302, 306
Beetles, 385–409
Beilschmedia
  tairiri, 295
  tawa, 295
  tawaroa, 295

Beverley-Burton, M., see Klassen, G. J., and —
Biogeography, 34–46, 245–253, 329–355, 366–384, 410–419
  historical, 221–236, 237–244, 356–365
  spanning-tree, 410–419
  vicariance, 19–33, 219–220, 221–236, 254–270, 271–290, 291–310, 315–328, 366–384, 385–409
Biogeography of North American and Mexican insects, and a critique of vicariance biogeography, Gerald R. Noonan, 366–384
Birds, 221–236
Blechnum durum, 301
Boa, 321
Brachinus, 369, 376
Brephidium, 388
Brevimulticaecum, 240
Brooks, Daniel R., and Susan M. Bandoni, Coevolution and relicts, 19–33
Brooks, Daniel R., Scaling effects in historical biogeography: a new view of space, time, and form, 237–244

Caecephatus
  huttoni, 301
  propinquus, 301
Calathus, 372
Calisto, 388, 390, 391
Campostoma oligolepis, 346, 347
Candoia, 321
Canthochilum, 388, 390
Canthonella, 390, 391
Capniidae, 371
Capnura, 371
Carabidae, 369, 370, 372, 385–409
Carex sectoides, 301
Carey, S. Warren, Theories of the earth and universe: a history of dogma in the earth sciences (rev.), 311–312
Caribbean, 356–365, 385–409
Carlhubbsia, 360
Cassolus, 388
Catoptes brevicornis, 301
Centrarchidae, 183, 330
Chalcodrya, 295
Chalcodryidae, 295
Character polarization, 106–141
Chatham Islands, 291–310
Chironomidae, 388
Cicadellidae, 374
Cichlasoma, 356
  haitiensis, 359
  ramdensi, 359
  tetracanthus, 359
Cichlidae, 359
Cladistics, 221–236, 254–270, 356–365, 410–419
Cladograms, 56–59
  area, 254–270
Clariidae, 40
Clavunculus, 180
  bifurcatus, 181, 184
  bursatus, 181, 183, 184
Clio, 142–155
Cluster analysis, 34–46
Cnemidophorus, 200–209
  angusticeps, 206
  costatus, 202, 206
  cozumela, 206
  deppei, 206
  dixoni, 207
  exsanguis, 202, 206
  flagellicaudus, 206, 207
  gularis, 202, 206
  inornatus, 202, 204, 206, 207
  laredoensis, 202, 206
  lemniscatus, 207, 208
  marmoratus, 207
  neomexicanus, 204, 207
  opatae, 207
  perplexus, 204
  rodecki, 206
  scalaris, 202
  septemvittatus, 202, 206
  sexlineatus, 202, 206, 207
  sonorae, 206, 207
  tesselatus, 202, 205, 207
  tigris, 207
  uniparens, 207
  velox, 205–207
Coevolution, 19–33, 315–328
Coevolution and relicts, Daniel R. Brooks and Susan M. Bandoni, 19–33
Coleoptera, 366–384, 385–409
Colobanthus muscoides, 301
Colpoptera, 390
Comparing trees, 254–270
Compatibility analysis, 291–310
Component analysis, 221–236
Concensus tree, 106–141
Conceptual relationship of cladistic phylogenetics and vicariance biogeography, the, Elliott Sober, 245–253
Concerted evolution, 63–66
Consensus methods, 254–270
Continuing the synthesis between panbiogeography, phylogenetic systematics and geology as illustrated by empirical studies on the biogeography of New Zealand and the Chatham Islands, Robin Craw, 291–310
Corallus, 321
Corokia
  buddleioides, 301, 302
  macrocarpa, 301, 302
Cortaderia, 306, 307
  splendens, 301, 302
  turbaria, 301, 302
Cottidae, 330
Cotula
  featherstoni, 299
  potentillina, 301
Coyne, Jerry A., H. Allen Orr, and Douglas J. Futuyma, Do we need a new species concept?, 190–200
Cracraft, Joel, Deep-history biogeography: retrieving the historical pattern of evolving continental biotas, 221–236
Cracraft, Joel, Vicariance biogeography: theory, methods, and applications. Introduction to the symposium, 219–220

Craw, Robin, Continuing the synthesis between panbiogeography, phylogenetic systematics and geology as illustrated by empirical studies on the biogeography of New Zealand and the Chatham Islands, 291–310
Crinicleidus, 180
crinicirrus, 181, 184
longus, 181, 184
Cubanichthys, 356
cubensis, 359
pengelleyi, 359
Culex pipiens, 195
Curculionidae, 370, 372
Cyanorhamphus forbesi, 299, 300
Cyathocotylidae, 26
Cyathodes parviflora, 302, 306
Cyclura, 322
Cyprinidae, 40, 330
Cyprinodon, 356
bondi, 359
laciniatus, 359
variegatus, 359
Cyprinodontidae, 330
Cyptoxenus, 390, 391
Cyrtolaus, 388

Damanik, Sengli J., see Whitten, Anthony J., —
Davis, Scott K., see Hillis, David M., and —
DeBry, Ronald W., see Williams, Scott M., —
Deep-history biogeography: retrieving the historical pattern of evolving continental biotas, Joel Cracraft, 221–236
Del Castillo, Marcos, Another approach to the world biogeography of the families of inland fishes, 34–46
Desmognathus, 112, 128–133, 137, 139–141
quadramaculatus, 110
Dicamptodon, 112, 128–133, 136–141
copei, 110
ensatus, 110
Dickinson, W. J., see Thorpe, Patrick A., and —
Diplostomatidae, 26
Dispersal, 245–253, 315–328, 366–384
Do we need a new species concept?, Jerry A. Coyne, H. Allen Orr, and Douglas J. Futuyma, 190–200
Dorcus
capito, 302
ithaginis, 302
Dracophyllum
scoparium, 301
traversii, 296
Dracorermis, 24, 27, 29
Drepanocerus, 391
reconditus, 388
Drift and selection on detecting similarities between large cladograms, effects of, Daniel Simberloff, 56–59
Drosophila, 48, 97–105, 192, 194, 212, 214
adiastola, 102
affinidisjuncta, 99, 101, 105
bostrycha, 99, 101, 105
clavisetae, 101, 105
crucigera, 99, 105
differens, 99, 101, 105
discreta, 99, 101, 104, 105
disjuncta, 99, 101, 105
engyochraceae, 99, 101, 105
formella, 99, 101, 105
grimshawi, 99, 101, 105
hawaiiensis, 101
heteroneura, 99, 101, 105
melanogaster, 61, 195
mercatorum, 61
ornata, 102, 105
orthofascia, 99, 101, 105
paucipuncta, 99, 101, 105
picticornis, 101, 105
planitibia, 99, 101, 105
primaeva, 99, 101, 102, 104,105
prostopalpis, 99, 101, 105
punalua, 99, 101, 105
setosimentum, 102, 105
silvarentis, 99, 105
silvestris, 99, 101, 105
sproati, 99, 101, 105

Echinocephalus, 242
daileyi, 240
Ecology, 47–55
Electromorphic analyses, 163–178
Electrophoresis, 156–162
Empirical evaluation of the use of the ontogeny polarization criterion in phylogenetic inference, an, Fred Kraus, 106–141
Empoasca, 374
Endeminism
areas of, 221–236
Environmental modification, 163–178
Epicrates, 315–328
angulifer, 321, 322
cenchria, 321, 322
chrysogaster, 321, 322, 324
exsul, 321, 322, 324
fordii, 321, 322, 324
gracilis, 321, 322, 324
inornatus, 321, 322, 324
monensis, 321, 322, 324
striatus, 321, 322, 324
subflavus, 321, 322, 324
Eretris, 388
Etheophanus
nitidellus, 296, 298
optandus, 296
pinguis, 296–298
Etheophanus striatus, 296
Etheostoma
blennioides, 336, 348, 349, 351–353
blennius, 336, 344, 345, 348
boschungi, 336, 344, 345, 348
cragini, 336, 345, 347, 350
euzonum, 336, 345, 346, 349
kanawhae, 336, 345, 346
osburni, 336, 345, 346
pallididorsum, 336, 345, 347, 350
punctulatum, 336, 344, 345, 347, 349, 350
rupestre, 352
tetrazonum, 336, 345–347
trisella, 336, 343–345

variatum, 334, 336, 343, 345, 346, 350
zonale, 336, 348, 351, 352
Eunectes, 321
Euperilampus, 372, 379
Eutetrarhynchus araya, 240
Euxenus, 389, 391
Euxoa, 213
detersa, 371
Evaluation of some alternative procedures used in numerical systematics, Steve E. Hartman, 1–18
Evolution, 142–155, 329–355
concerted, 63–66
freshwater fishes, 329–355
hominoid, 1–18
unified theory of, 237–244
Evolutionary, 142–155
gradualism, 66–67
success, 69–71, 76–79
Evolutionary success, the analysis of, Robert J. Raikow, 76–79
Evolutionary success of passerines: a question of semantics?, the, Geerat J. Vermeij, 69–71
Exeiratus, 306, 307
setarius, 301
Extinction, 245–253, 329–355, 366–384

Fagaceae, 283
Feder, Jeffrey L., see Williams, Scott M., —
Fish,
families, 34–46
freshwater, 329–355
poeciliid, 356–365
Fitzpatrick, John W., Why so many passerine birds? A response to Raikow, 71–76
Freshwater fishes, 329–355
Frodin, David G., review by, 423–425
Frost, Darrel R., and John W. Wright, The taxonomy of uniparental species, with special reference to parthenogenetic *Cnemidophorus* (Squamata: Teiidae), 200–209
Fundulus
catenatus, 334, 336, 343–347, 350, 353
stellifer, 336, 343, 345
Futuyma, Douglas J., see Coyne, Jerry A., —

Galaxiidae, 40
Galerita, 369, 376
Gambusia, 323
baracoana, 361
beebei, 362
bucheri, 361
caymanensis, 361
hispaniolae, 361
howelli, 361
hubbsi, 361
luma, 362
manni, 361
melapleura, 361
monticola, 361
nicaraguensis, 356, 361
oligosticta, 361
pseudopunctata, 362
punctata, 356, 361, 362
puncticulata, 356, 361, 362
rhizophorae, 362
wrayi, 361
xanthosoma, 362
yucatana, 361
General patterns in West Indian insects, and graphical biogeographic analysis of some circum-Caribbean *Platynus* beetles (Carabidae), James K. Liebherr, 385–409
Geology, 291–310
Ghiselin, Michael T., Species individuality has no necessary connection with evolutionary gradualism, 66–67
Gigantolina elongata, 29
Girardinus, 360
Gnamptogenys, 390
Gorilla gorilla, 2
Graur, Dan, see Tomiuk, Jurgen, and —
Greater Antilles, 315–328
Gymnochthebius, 370
Gyrinophilus, 112, 128–133, 137–141
porphyriticus, 110

Hadramphus spinipennis, 301
stilbocarpae, 301
Harmotrema, 24, 29
Harpalus fraternus, 370
Hartman, Steve E., Evaluation of some alternative procedures used in numerical systematics, 1–18
Hebe, 306, 307
barkeri, 302
Helastia
corcularia, 295
cryptica, 295
cymozeucta, 295
semisignata, 295
Helicotrema, 24, 27
Hemidactylium, 112, 128–133, 137–141
scutatum, 110
Hemiptera, 366–384
Henderson, Gregory S., see Whitten, Anthony J., —
Hengeveld, R., Mayr's ecological species criterion, 47–55
Heterandria, 264, 265, 330, 356
Heteronchocotyle tsalickisi, 240
Hillis, David M., and Scott K. Davis, Ribosomal DNA: intraspecific polymorphism, concerted evolution, and phylogeny reconstruction, 63–66
Historical biogeography, 221–236, 237–244, 356–365
Historical biogeography of poeciliid fishes in the Caribbean, Mary Rauchenberger, 356–365
Historical ecology, 19–33
Hisyam, Nazaruddin, see Whitten, Anthony J., —
Homage to Clio, or, toward an historical philosophy for evolutionary biology, Robert J. O'Hara, 142–155
Hominoid evolution, 1–18
Homo sapiens, 2
Homology, 245–253
Homoplasy, 245–253
Homoptera, 366–384
Host-parasite coevolution, 179–189
Host-switching, 19–33
Hydraena, 373, 375, 376
Hydraenidae, 370, 371, 373, 381

Hydriobiosis lindsayi, 299, 300
Hyla andersoni, 23
Hylobates
lar, 1, 7, 12, 13
syndactylus, 1
Hymenoptera, 366–384
Hypolepis lactea, 302

Ichneumonidae, 374
Ictaluridae, 179, 330
Inland fish families, 34–46
Insecta, 366–384
Intraspecific polymorphism, 63–66
Ipsellissus, 388
Iridomyrmex humilis, 193
Issidae, 389

Keroplatidae, 389
Klassen, G. J., and M. Beverley-Burton, North American fresh water ancyrocephalids (Monogenea) with articulating haptoral bars: host-parasite coevolution, 179–189
Kluge, Arnold G., Parsimony in vicariance biogeography: a quantitative method and a Greater Antillean example, 315–328
Kochmer, John P., and Richard H. Wagner, Why are there so many kinds of passerine birds? Because they are small. A reply to Raikow, 68–69
Kraus, Fred, An empirical evaluation of the use of the ontogeny polarization criterion in phylogenetic inference, 106–141
Kybos, 379

Lanio, 224
fulvus, 235
versicolor, 235
Leiodidae, 374
Leiperia gracile, 240
Lepidoptera, 366–384
Lepisosteidae, 359
Lepomis, 180
auritus, 181, 183–185
cyanellus, 181–184, 187
gibbosus, 181, 183–185, 187
gulosus, 181–184, 187
humilis, 181, 183, 184, 187
macrochirus, 181–184, 187
megalotus, 181–184, 187
microlophus, 181, 183, 184
miniatus, 183, 184
punctatus, 181–184
symmetricus, 181–184
Leptomyrmex, 390
Libocedrus
bidwilli, 295
plumosa, 295
Libythea, 388
Libytheidae, 388
Lichenobius
littoralis, 301
silvicola, 301
Liebherr, James K., General patterns in West Indian insects, and graphical biogeographic analysis of some circum-Caribbean *Platynus* beetles (Carabidae), 385–409
Ligictaluridus, 179, 185
Limia
caymanensis, 360
vittata, 360
Limnebius, 370
Linguaelapsus, 117
Liolope
copulans, 24, 27
dollfusi, 24
Loricera, 369, 380
Løvtrup, Søren, Darwinism: the refutation of a myth (rev.), 80
Luxilus
cardinalis, 336, 345, 347, 350
coccogenis, 334, 336, 343–345, 348, 350
pilsbryi, 336, 345, 347, 349
zonatus, 334, 336, 343–345, 347, 349, 350
zonistius, 336, 343, 345
Luzula banksiana, 301
Lycopodium deuterodensum, 302
Lygaeidae, 388

Macaca, 156, 160
fascicularis, 159
mulatta, 159
Macromitrium ramsayae, 299, 300
Malurus, 264, 284
Mayagueza, 390
Mayden, Richard L., Vicariance biogeography, parsimony, and evolution in North American freshwater fishes, 329–355
Mayr's ecological species criterion, R. Hengeveld, 47–55
McKenzie, K. F. (ed.), Shallow Tethys 2: proceedings of the International Symposium on Shallow Tethys 2, Wagga Wagga, 15–17 September 1986 (rev.), 311–312
Megapriapus ungriai, 240
Meropathus, 306, 307
campbellensis, 301
Mesoperipatus, 387
Methods,
biogeography, 219–220, 315–328
consensus, 254–270
Micropterus, 180
dolomieui, 181–184, 187
punctulatus, 181–184
salmoides, 181–185, 187
Missing taxa, 315–328
Molars, 1–18
Monogenea, 179–189
Moreauia, 24
Morphometrics, 163–178
Mus, 61, 63
Mustafa, Muslimin, see Whitten, Anthony J., —
Myrsine chathamica, 301

Nearctic, 366–384
Nei's distance, 156–162
Nei's modified genetic identity and distance measures and their sampling variances, Jürgen Tomiuk and Dan Graur, 156–162

Nelson, Gareth, reviews by, 80, 311–312, 421, 423
Nelson, Gareth, see Platnick, Norman I., and —
Neoditomyia
  andina, 389
  spinosa, 389
  troglophila, 389
Neopamphantus, 390, 391
Nestor
  meridonialis, 295
  notabilis, 295
Neurospora, 61
New Zealand, 291–310
Niche, 47–55
Nocomis
  asper, 336, 344–347, 349, 350, 351
  biguttatus, 334, 336, 343–347, 349, 350
  effusus, 336, 344, 348
Noctuidae, 213, 371
Noonan, Gerald R., Biogeography of North American and Mexican insects, and a critique of vicariance biogeography, 366–384
North American fresh water ancyrocephalids (Monogenea) with articulating haptoral bars: host-parasite coevolution, G. J. Klassen and M. Beverley-Burton, 179–189
Nothofagus, 307
Notochoragus
  chathamensis, 302
  nanus, 301, 302
  thoracicus, 302
Notropis, 330
  chrosomus, 336, 343, 345
  leuciodus, 334, 336, 343, 344, 345, 348, 350
  nubilus, 336, 343, 345–347, 349, 351
Numerical systematics, 1–18

O'Hara, Robert J., Homage to Clio, or, toward an historical philosophy for evolutionary biology, 142–155
Ochthebius, 371, 376
Olearia, 301
Oniticellus cubiensis, 388
Ontogeny, 106–141
Onysius, 295
Ophisternon, 356, 358
  aenigmaticum, 359
Orocrambus horistes, 299, 300
Orr, H. Allen, see Coyne, Jerry A., —
Orthopelma, 374, 379
Outgroup, 106–141

Pachygrontha singularis, 388
Page, Roderic D. M., Quantitative cladistic biogeography: constructing and comparing area cladograms, 254–270
Pamphantus, 390, 391
Pan troglodytes, 2
Panbiogeography, 291–310
Panelus, 388
Paprides
  dugdali, 295
  nitidulus, 295
Paraepicrates, 322
Paramycodrosophila, 390
Parasite phylogeny, 179–189
Paravitellotrema overstreeti, 240
Parsimony, 245–253, 315–328, 329–355
  analysis, 221–236, 271–290
Parsimony analysis and vicariance biogeography, E. O. Wiley, 271–290
Parsimony in vicariance biogeography: a quantitative method and a Greater Antillean example, Arnold G. Kluge, 315–328
Parthenogenesis, 200–209
Passerine birds, 68–69, 69–71, 71–76, 76–79
Passerine birds, why so many? A response to Raikow, John W. Fitzpatrick, 71–76
Pattern analysis, 34–46
Patton, James L., see Smith, Margaret F., and —
PAUP program, 97–105
Peltophryne, 322
Pentarthrum spadiceum, 301
Percidae, 330
Percina, 334, 350
  antesella, 336, 343, 345
  evides, 336, 351, 352
  palmaris, 351
  tanasi, 336, 343–345, 348
  uranidea, 336, 343, 345, 347, 349
Pericompus, 283
Peripatidae, 387
Petrophasa, 264, 284
Pheidole megacephala, 193
Pheloneis simulans, 301, 302
Philogeny, 156–162
Philosophy, 142–155
Pailpottia, 295
Phloeoxena, 389, 391
Phyllocladus
  alpinus, 295
  glaucus, 295
  trichomanoides, 295
Phylogenetic systematics, 19–33, 245–253, 271–290, 291–310, 315–328, 329–355
Phylogeny, 97–105, 106–141
  reconstruction, 63–66
Phylolestes, 387
Picoides, 75
Picumnus, 415
Pionites, 224, 235
  leucogaster, 236
  melanocephala, 236
  pallida, 236
  xanthomeria, 236
  xanthurus, 236
Pionopsitta
  barrabandi, 224
  pileata, 224
  pyrilia, 224
Pipra
  cornuta, 235
  erythrocephala, 224, 235
  rubrocapilla, 235
Pipridae, 224
Platnick, Norman I., and Gareth Nelson, Spanning-tree biogeography: shortcut, detour, or dead-end?, 410–419

Platynus, 385–409
acuniai, 398, 400, 408
alternans, 408
amone, 398, 408
biramosus, 396, 408
calathinus, 408
christophe, 408
cinchonae, 391, 398, 408
constricticeps, 398, 408
cubensis, 398, 400, 408
cychrinus, 408
ellipticus, 391, 396, 408
faber, 408
jaegeri, 391, 403, 408
jamaicae, 408
laeviceps, 391, 398, 403, 408
lherminieri, 408
marcus, 398, 408
pseudellipticus, 396, 408
ramoni, 398, 408
rastafarius, 408
robustus, 396, 403, 408
stricticollis, 408
subcordens, 408
tipoto, 396, 408
transcibao, 408
wolla, 398, 408
Plecoptera, 366–384
Plethodontidae, 110
Pleurodeles, 112, 128, 130–133, 137–141
waltl, 110
Pocket gophers, 163–178
Poecilia, 356, 360
caucana, 361
dominicensis, 361
elegans, 361
hispanioliana, 361
Poeciliid, 356–365
Poeciliopsis, 356
Poephila, 264, 284
Polarization, 106–141
Polistes, 213
Polycentropodidae, 387
Polycentropus
confusus, 389
nigriceps, 388, 391
Pongo pygmaeus, 1
Potamotrygon
hystrix, 240, 241
reticulatus, 240
Potamotrygonocestus
amazonensis, 240
magdalenensis, 240
orinocoensis, 240
Potamotrygonocotyle amazonensis, 240
Principal components, 163–178
Principal coordinates analysis, 34–46
Prodyscherus, 388
Proteaceae, 283
Pseudiastata, 390
Pseudochthonius squamosus, 387
Pseudoepicrates, 322
Pseudotriton, 112, 128–133, 137–141
ruber, 110
Psittacidae, 224
Psophia, 224
crepitans, 235
dextralis, 235
interjecta, 235
leucoptera, 235
obscura, 235
ochroptera, 235
viridis, 235
Psophiidae, 224
Psophodes, 284
Pteroglossus
bitorquatus, 224
humboldti, 224
viridis, 224
Ptiloris, 264, 284
Pycnopanelus, 388
Pyxicephalus adspersus, 65

Quantitative cladistic biogeography: constructing and comparing area cladograms, Roderic D. M. Page, 254–270
Quintana, 360

Raikow, Robert J., The analysis of evolutionary success, 76–79
Ramphastidae, 224
Rana, 59, 61
berlandieri, 64
magnaocularis, 64
palmipes, 64
palustris, 64
pustulosa, 64
spectabilis, 64
sphenocephala, 64
tarahumarae, 64
vaillanti, 64
zweifeli, 64
Rauchenberger, Mary, Historical biogeography of poeciliid fishes in the Caribbean, 356–365
Regulatory patterns in constructing phylogenies, the use of, Patrick A. Thorpe and W. J. Dickinson, 97–105
Relationships, 97–105
Relicts, 19–33
Rhinebothrium, 242
paratrygoni, 240
Rhinebothroides, 242
amazonensis, 240
freitasi, 240
glandularis, 240
moralarai, 240
scorzai, 240
venezuelensis, 240
Rhyacosiredon, 110
Rhyacotriton, 112, 128–133, 136–141
olympicus, 110
Ribosomal DNA, 60–62, 63–66
Ribosomal DNA in systematic studies, a commentary on the use of, Scott M. Williams, Ronald W. DeBry, and Jeffrey L. Feder, 60–62
Ribosomal DNA: intraspecific polymorphism, concerted evolution, and phylogeny reconstruction, David M. Hillis and Scott K. Davis, 63–66

Rieppel, Oliver C., Fundamentals of comparative biology (rev.), 423
Rivulus, 356
cylindraceus, 359
garciai, 359
heyei, 360
insulaepinorum, 360
roloffi, 360

Sagittarius serpentarius, 192
Salamandridae, 110
Salmonidae, 330
Sanzinia, 321
Satyridae, 388, 391
Scaling effects in historical biogeography: a new view of space, time, and form, Daniel R. Brooks, 237–244
Scarabaeidae, 371, 387, 388, 391
Scarites, 388
Schistocerca gregaria, 50
Schizochoerus paragonopora, 29
Schizogenius, 375
truquii, 370
Schuh, Randall T., review by, 421–422
Selection, 56–59, 209–215
Selenidera
maculirostris, 224
nattereri, 224
Senecio
antipodus, 301
hunti, 301
radiolatus, 301
stewartiae, 301
Sexual selection, 209–215
Sibinia, 375
grandis, 370
hispida, 372
rotundata, 372
sulcifera, 370
suturalis, 372
variegata, 370
Simberloff, Daniel, Effects of drift and selection on detecting similarities between large cladograms, 56–59
Smith, Margaret F., and James L. Patton, Subspecies of pocket gophers: causal bases for geographic differentiation in *Thomomys bottae*, 163–178
Sober, Elliott, The conceptual relationship of cladistic phylogenetics and vicariance biogeography, 245–253
Society business for 1987, report of, 81–90
South America, 221–236
Spanning-tree biogeography: shortcut, detour, or dead-end?, Norman I. Platnick and Gareth Nelson, 410–419
Speciation, 209–215, 329–355
Species concept, 190–200
Species criterion, 47–55
Species individuality has no necessary connection with evolutionary gradualism, Michael T. Ghiselin, 66–67
Speleoperipatus, 387
Sporodanthus traversii, 301, 302
Stabilizing selection, sexual selection and speciation: a view of specific-mate recognition systems, Paul A. Verrell, 209–215
Stereophotogrammetry, 1–18
Stipiturus, 284
Strategus, 371, 376
Strigeidae, 26
Subspecies of pocket gophers: causal bases for geographic differentiation in *Thomomys bottae*, Margaret F. Smith and James L. Patton, 163–178
Sympatric taxa, 315–328
Syncleithrium, 180
fusiformis, 183–185, 187
Synlestidae, 387
Systematics, 142–155
numerical, 1–18
phylogenetic, 19–33

Tachyta, 370
Tagarema
electa, 295
stali, 295
Taricha, 112, 128, 130–133, 137–141
granulosa, 110
Tassy, P. (ed.), L'ordre et la diversité du vivant: quel statut scientifique pour les classifications biologiques? (rev.), 421
Taxa,
missing, 315–328
sympatric, 315–328
widespread, 315–328
Taxonomy of uniparental species, with special reference to parthenogenetic *Cnemidophorus* (Squamata: Teiidae), the, Darrel R. Frost and John W. Wright, 200–209
Teiidae, 200–209
Tenebrionidae, 391
Terranova edcaballeroi, 240
Thionia, 390
Thomomys bottae, 163–178
Thorpe, Patrick A., and W. J. Dickinson, The use of regulatory patterns in constructing phylogenies, 97–105
Thraupidae, 224
Tomiuk, Jürgen, and Dan Graur, Nei's modified genetic identity and distance measures and their sampling variances, 156–162
Trees,
spanning, 410–419
comparing, 254–270
concensus, 106–141
Tregellasia, 264, 284
Troglopedetes, 387
Trypetocoris, 296
aucklandensis, 295
rudis, 295
separatus, 295
Twenty-first Numerical Taxonomy Conference, F. James Rohlf, 91–93
Tylototriton, 128, 130–133, 137–141
verrucosus, 110
Tylotriton, 112
Typology, 47–55

Unified theory of evolution, 237–244

Uniparental species, 200–209
Urtica australis, 301

Vanessa, 306
Vermeij, Geerat J., review by, 422
Vermeij, Geerat J., The evolutionary success of passerines: a question of semantics?, 69–71
Verrell, Paul A., Stabilizing selection, sexual selection and speciation: a view of specific-mate recognition systems, 209–215
Vicariance, 245–253, 356–365, 410–419
  biogeography, 19–33, 219–220, 221–236, 245–253, 254–270, 271–290, 291–310, 315–328, 329–355, 366–384, 385–409
Vicariance biogeography, parsimony, and evolution in North American freshwater fishes, Richard L. Mayden, 329–355
Vicariance biogeography: theory, methods, and applications. Introduction to the symposium, Joel Cracraft, 219–220

Wagner, Richard H., see Kochmer, John P., and —
Wainwright, S. A., Axis and circumference (rev.), 422
Wendilgarda
  atricolor, 387
  clara, 387
  mexicana, 387
Whitten, Anthony J., Muslimin Mustafa, and Gregory S. Henderson, The ecology of Sulawesi (rev.), 423–425
Whitten, Anthony J., Sengli J. Damanik, Jazanul Anwar, and Nazaruddin Hisyam, The ecology of Sumatra (rev.), 423–425
Why are there so many kinds of passerine birds? Because they are small. A reply to Raikow, John P. Kochmer and Richard H. Wagner, 68–69
Widespread taxa, 315–328
Wiley, E. O., Parsimony analysis and vicariance biogeography, 271–290
Williams, Scott M., Ronald W. DeBry, and Jeffrey L. Feder, A commentary on the use of ribosomal DNA in systematic studies, 60–62
Winteraceae, 283
World biogeography of the families of inland fishes, another approach to the, Marcos Del Castillo, 34–46
Wright, John W., see Frost, Darrel R., and —

Xenoboa, 321
Xiphophorus, 264, 265, 330, 356

Zygothrica
  bilineata, 390
  samoaensis, 390